

Sheep - AMBC/ALBC/TLC

Breed	Unique to North America	Feral or of feral origin	British registered	AMBC 1989	Taking Stock	1994	1995	1996	1997	1998	1999	2000	2001	2002
Barbados (Blackbelly)	*			1	S	S		S	S	3	3	3	3	3
Black Welsh Mountain					3	3	3	absent	absent	absent	absent	4	4	4
Border Leicester				2										
Boricua (hair, Puerto Rico)	*				S	S								
California Variegated Mutant								1	1					
Caribbean Hair							S	S	S	S				
Cheviot				3	see N.C. Cheviot									
Clun Forest					2	2	3	absent	absent	absent	absent	absent	4	4
Cotswold				1	1	1	2	2	2	2	2	2	2	2
Delaine Merino				2	2	2	2	2	2					
Dorset Horn				3	3	3	3	2	2	3	3	3	3	3
Florida Cracker														
Gulf Coast Native	*			1	1	1	1	1	1	1		3	1	1
Hog Island	*	#		feral	1	1	1	1	1	1	1	1	1	1
Jacob (American)	*			3	3	3	3	3	3	2	2	2	2	2
Karakul (American)	*			1	2	2	2	2	2	2	2	2	2	2
Katahdin	*				2	2	2	3	3	3	3	4	3	4
Leicester Longwool				1	1	1	1	1	1	2	2	2	2	2
Lincoln				1	2	2	absent	absent	absent			3	3	3
Navajo-Churro	*			1	2	2	2	2	2	2	2	2	2	2
North Country Cheviot				see Chevio	3	3								
Oxford				3	3	3	3	3	3	3	3	3	3	3
Romeldale/CVM	*							see CVM		1	1	1	1	1
Saint Croix	*				2	2	2	2	2	2	2	2	2	2
Santa Cruz	*	#		feral	1	1	1	1	1	1	1	1	1	1
Shetland				2	3	3	3	3	3	3	3	4	4	4
Shropshire				3	absent	absent	absent	absent	absent	absent	absent	4	4	4
Soay			#											
Southdown				3	absent	absent	absent	absent	absent	absent	absent	4	4	4

Breed	Unique to North America	Feral or of feral origin	British registered	AMBC 1989	Taking Stock	1994	1995	1996	1997	1998	1999	2000	2001	2002
Tunis	*			1	2	2	2	2	2	2	2	2	2	2
Wiltshire Horn				3	1	1	1	1	1	2	2	2	2	2

1 - Critical - fewer than 200 annual registrations in North America and an estimated global population of less than 2,000. (AMBC 1989 - Rare - Cattle and horse breeds with less than 200 registrations per year; sheep, goat and pig breeds with less than 500 registrations per year.)

2 - Rare (Threatened 2005 ff.) - fewer than 1,000 annual registrations in North America and an estimated global population of less than 5,000. (AMBC 1989 - Minor - Cattle, sheep, goat, and horse breeds with less than 1,000 registrations per year; pig breeds with less than 2,000 registrations per year.)

3 - Watch - fewer than 2,500 annual registrations in North America and an estimated global population of less than 10,000. (AMBC 1989 - Watch - Breeds whose registrations over a 25 year period have shown a steady decline or where registrations are less than 5,000 per year.)

4 - Recovering.

5 - Study - Populations of genetic interest which lack breed definition or documentation.

Feral definition (AMBC 1989): Stocks known to have been running wild for at least 100 years with no known introductions of outside blood. Gray background: anomaly confirmed with lists.

Barbados: Caribbean and mainland

Boricua: Puerto Rican hair sheep

Sources: Bixby, Donald E., Carolyn J. Christman, Cynthia J. Ehrman, and D. Phillip Sponenberg.

Taking Stock: The North American Livestock Census. Blacksburg, VA: American Livestock

Breeds Conservancy, 1994. Annual Conservation Priority lists, xxxx–2011.

Breed	Unique to North America	Feral or of feral origin	British registered	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Barbados (Blackbelly)	*			3	3	4	4	4	4	4	4	4		4	4
Black Welsh Mountain				4	4	4	4	4	4	4	4	4	4	2	2
Border Leicester															
Boricua (hair, Puerto Rico)	*														
California Variegated Mutant				see Romeldale/CVM											
Caribbean Hair															
Cheviot															
Clun Forest				4	4	4	4	4	4	4	4	4	4	2	2
Cotswold				2	2	2	2	2	2	2	2	2		2	2
Delaine Merino															
Dorset Horn				3	3	3	3	3	3	3	2	2		2	2
Florida Cracker										S	S	S	S	1	1
Gulf Coast Native	*			1	1	1	1	1	1	1	1	1		1	1
Hog Island	*	#		1	1	1	1	1	1	1	1	1		1	1
Jacob (American)	*			2	2	2	2	2	2	2	2	2		2	2
Karakul (American)	*			2	2	2	2	2	2	2	2	2		2	2
Katahdin	*			4	4	4	4	4	4	4	4	4	4		
Leicester Longwool				2	2	2	2	2	2	1	1	1		1	1
Lincoln				3	3	3	3	3	3	3	3	3		3	3
Navajo-Churro	*			2	2	2	2	2	2	2	2	2		2	2
North Country Cheviot															
Oxford				3	3	3	3	3	3	3	3	3		3	3
Romeldale/CVM	*			1	1	1	1	1	1	1	1	1		1	1
Saint Croix	*			2	2	2	2	2	2	2	2	2		2	2
Santa Cruz	*	#		1	1	1	1	1	1	1	1	1		1	1
Shetland				4	4	4	4	4	4	4	4	4		4	4
Shropshire				4	4	4	4	4	4	4	4	4	4	3	3
Soay			#	S	S										
Southdown				4	4	4	4	4	4	4	4	4		4	4

Breed	Unique to North America	Feral or of feral origin	British registered	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Tunis	*			2	2	2	3	3	3	3	3	3		3	3
Wiltshire Horn				2	2	4	4	4	4	4	4	4		4	4

Name variations and split/lump alerts:

- * Barbados, Barbados Blackbelly
- * Cheviot, North Country Cheviot
- * Gulf Coast, Gulf Coast Native, Florida Cracker
- * California Variegated Mutant/CVM, Romeldale

Breed	Unique to North America	Feral or of feral origin	British registered	2015	2016	2017	2018
Barbados (Blackbelly)	*			4	4	3	3
Black Welsh Mountain				2	2	2	2
Border Leicester							
Boricua (hair, Puerto Rico)	*						
California Variegated Mutant							
Caribbean Hair							
Cheviot							
Clun Forest				2	2	2	2
Cotswold				2	2	2	2
Delaine Merino							
Dorset Horn				2	2	2	2
Florida Cracker				1	1	1	1
Gulf Coast Native	*			1	1	1	1
Hog Island	*	#		1	1	1	1
Jacob (American)	*			2	2	2	2
Karakul (American)	*			2	2	2	2
Katahdin	*						
Leicester Longwool				1	2	2	2
Lincoln				3	2	2	2
Navajo-Churro	*			2	2	2	2
North Country Cheviot							
Oxford				3	3	3	3
Romeldale/CVM	*			1	1	1	2
Saint Croix	*			2	2	2	2
Santa Cruz	*	#		1	1	1	1
Shetland				4	4	4	4
Shropshire				3	3	3	3
Soay			#				
Southdown				4	4	4	4

Breed	Unique to North America	Feral or of feral origin	British registered	2015	2016	2017	2018
Tunis	*			3	3	3	3
Wiltshire Horn				4	4	4	3